

Northumbria Research Link

Citation: Pasqualotto, Achille, Dumitru, Magda and Myachykov, Andriy Multisensory Integration: Brain, Body, and World [Editorial]. *Frontiers in Psychology*, 6. p. 2046. ISSN 1664-1078

Published by: UNSPECIFIED

URL:

This version was downloaded from Northumbria Research Link: <http://northumbria-test.eprints-hosting.org/id/eprint/48151/>

Northumbria University has developed Northumbria Research Link (NRL) to enable users to access the University's research output. Copyright © and moral rights for items on NRL are retained by the individual author(s) and/or other copyright owners. Single copies of full items can be reproduced, displayed or performed, and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided the authors, title and full bibliographic details are given, as well as a hyperlink and/or URL to the original metadata page. The content must not be changed in any way. Full items must not be sold commercially in any format or medium without formal permission of the copyright holder. The full policy is available online: <http://nrl.northumbria.ac.uk/policies.html>

This document may differ from the final, published version of the research and has been made available online in accordance with publisher policies. To read and/or cite from the published version of the research, please visit the publisher's website (a subscription may be required.)



Northumbria
University
NEWCASTLE



UniversityLibrary

Northumbria Research Link

Citation: Pasqualotto, Achille, Dumitru, Magda and Myachykov, Andriy (2016) Multisensory Integration: Brain, Body, and World [Editorial]. *Frontiers in Psychology*, 6. p. 2046. ISSN 1664-1078

Published by: Frontiers

URL: <http://dx.doi.org/10.3389/fpsyg.2015.02046>
<<http://dx.doi.org/10.3389/fpsyg.2015.02046>>

This version was downloaded from Northumbria Research Link:
<http://nrl.northumbria.ac.uk/26564/>

Northumbria University has developed Northumbria Research Link (NRL) to enable users to access the University's research output. Copyright © and moral rights for items on NRL are retained by the individual author(s) and/or other copyright owners. Single copies of full items can be reproduced, displayed or performed, and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided the authors, title and full bibliographic details are given, as well as a hyperlink and/or URL to the original metadata page. The content must not be changed in any way. Full items must not be sold commercially in any format or medium without formal permission of the copyright holder. The full policy is available online: <http://nrl.northumbria.ac.uk/policies.html>

This document may differ from the final, published version of the research and has been made available online in accordance with publisher policies. To read and/or cite from the published version of the research, please visit the publisher's website (a subscription may be required.)

www.northumbria.ac.uk/nrl





Editorial: Multisensory Integration: Brain, Body, and World

Achille Pasqualotto¹, Magda L. Dumitru^{2,3*} and Andriy Myachykov^{4,5}

¹ Faculty of Arts and Social Sciences, Sabanci University, Istanbul, Turkey, ² Department of Cognitive Science, Macquarie University, Sydney, NSW, Australia, ³ Cognitive Science Department, Graduate School of Informatics, Middle East Technical University, Ankara, Turkey, ⁴ Department of Psychology, Northumbria University Newcastle, Newcastle-upon-Tyne, UK, ⁵ School of Psychology, Centre for Cognition and Decision Making, National Research University Higher School of Economics, Moscow, Russia

Keywords: multisensory integration, body representation, attentional deployment, emotional processing, numerical cognition, language, embodied reasoning, time processing

The Editorial on the Research Topic

Multisensory Integration: Brain, Body, and World

The brain is safely sealed inside the cranium, with virtually no direct interaction with other parts of the body and the outside world. Nevertheless, it constantly processes the information conveyed by several sensory modalities in order to create representations of both body and outer world and to generate appropriate motor responses (Ehrsson et al., 2005; Farnè et al., 2005; Green and Angelaki, 2010). For example, vision can convey information about dangerous stimuli to trigger the generation of appropriate motor response (e.g., escape, avoidance, fight, etc.). Rather than processing sensory inputs in isolation, the brain *integrates* sensory information (Stein and Meredith, 1993; Fetsch et al., 2012) by forming reliable and robust representation of the external world and body. For example, when both visual and auditory input inform about the same danger, an appropriate motor response is more rapid and efficient (Serenio and Huang, 2006; Laing et al.).

Until a few decades ago, it was strongly believed that sensory (or multisensory) integration occurred only in high-level/associative areas or the cortex (Ghazanfar and Schroeder, 2006; Pavani and Galfano). Recently, several “new” multisensory areas have been discovered (Gobbelé et al., 2003; Pietrini et al., 2004), suggesting that a larger portion of the cortex is engaged in multisensory processing. Additional evidence suggests that multisensory integration also occurs in sub-cortical areas (Kuraoka and Nakamura, 2007; Amad et al., 2014). Finally, and perhaps surprisingly, some studies have demonstrated that multisensory processing occurs in primary sensory areas that were traditionally considered to be *uni-sensory* (Zangaladze et al., 1999; Murray et al., 2005).

Theories such as “neural reuse” (Anderson, 2010) and “metamodal” organization of the brain (Pascual-Leone and Hamilton, 2001) attempt to provide new paradigms for brain functioning taking into account widespread multisensory integration. The evolutionary advantage of multisensory integration might be the resulting availability of more reliable representations of the external world and body (Elliott et al., 2010; Grüneberg et al.) based on multiple sensory inputs and the resilience to brain injuries and sensory loss (Sarno et al., 2003; Pasqualotto and Proulx, 2012; Brown et al.; Finocchietti et al.). Indeed, multisensory integration has been reported in various experimental tasks including spatial representation (Pasqualotto et al., 2005), object recognition (Woods and Newell, 2004; Harris et al.; Höchenberger et al.; Laing et al.), movement perception (Grüneberg et al.; Imaizumi et al.; Uesaki and Ashida), body representation (Pasqualotto and Proulx, 2015; Pavani and Galfano; Tajadura-Jiménez et al.; Yiltiz and Chen), emotional processing (Miu et al.; Piwek et al.), attentional deployment (Spence, 2002; Depowski et al.), language

OPEN ACCESS

Edited and reviewed by:

Bernhard Hommel,
Leiden University, Netherlands

*Correspondence:

Magda L. Dumitru
magda.dumitru@gmail.com

Specialty section:

This article was submitted to
Cognition,
a section of the journal
Frontiers in Psychology

Received: 17 December 2015

Accepted: 23 December 2015

Published: 12 January 2016

Citation:

Pasqualotto A, Dumitru ML and
Myachykov A (2016) Editorial:
Multisensory Integration: Brain, Body,
and World. *Front. Psychol.* 6:2046.
doi: 10.3389/fpsyg.2015.02046

(Gallese, 2008; Myachykov and Tomlin, 2008; Myachykov et al., 2012; Lam et al.; Shaw and Bortfeld), embodied reasoning (Dumitru, 2014), sensory awareness (Cox and Hong), numerical cognition (Dumitru and Joergensen), auditory perception (Brogaard and Gatzia), and time perception (Homma and Ashida).

The articles included in this special issue offer novel insights about recent developments within the field of multisensory integration, and we believe that they will help understanding the multisensory nature of brain functioning.

REFERENCES

- Amad, A., Cachia, A., Gorwood, P., Pins, D., Delmaire, C., Rolland, B., et al. (2014). The multimodal connectivity of the hippocampal complex in auditory and visual hallucinations. *Mol. Psychiatry* 19, 184–191. doi: 10.1038/mp.2012.181
- Anderson, M. L. (2010). Neural reuse: a fundamental organizational principle of the brain. *Behav. Brain Sci.* 33, 245–266. doi: 10.1017/S0140525X1000853
- Dumitru, M. L. (2014). Moving stimuli guide retrieval and (in)validation of coordination simulations. *Cogn. Process.* 15, 397–403. doi: 10.1007/s10339-014-0604-6
- Elliott, M. T., Wing, A. M., and Welchman, A. E. (2010). Multisensory cues improve sensorimotor synchronisation. *Eur. J. Neurosci.* 31, 1828–1835. doi: 10.1111/j.1460-9568.2010.07205.x
- Ehrsson, H. H., Holmes, N. P., and Passingham, R. E. (2005). Touching a rubber hand: feeling of body ownership is associated with activity in multisensory brain areas. *J. Neurosci.* 25, 10564–10573. doi: 10.1523/JNEUROSCI.0800-05.2005
- Farnè, A., Iriki, A., and Làdavas, E. (2005). Shaping multisensory action-space with tools: evidence from patients with cross-modal extinction. *Neuropsychologia* 43, 238–248. doi: 10.1016/j.neuropsychologia.2004.11.010
- Fetsch, C. R., Pouget, A., DeAngelis, G. C., and Angelaki, D. E. (2012). Neural correlates of reliability-based cue weighting during multisensory integration. *Nat. Neurosci.* 15, 146–154. doi: 10.1038/nn.2983
- Gallese, V. (2008). Mirror neurons and the social nature of language: the neural exploitation hypothesis. *Soc. Neurosci.* 3, 317–333. doi: 10.1080/17470910701563608
- Ghazanfar, A. A., and Schroeder, C. E. (2006). Is neocortex essentially multisensory? *Trends Cogn. Sci.* 10, 278–285. doi: 10.1016/j.tics.2006.04.008
- Gobbelé, R., Schürmann, M., Forss, N., Juottonen, K., Buchner, H., and Hari, R. (2003). Activation of the human posterior parietal and temporoparietal cortices during audiotactile interaction. *Neuroimage* 20, 503–511. doi: 10.1016/S1053-8119(03)00312-4
- Green, A. M., and Angelaki, D. E. (2010). Multisensory integration: resolving sensory ambiguities to build novel representations. *Curr. Opin. Neurobiol.* 20, 353–360. doi: 10.1016/j.conb.2010.04.009
- Kuraoka, K., and Nakamura, K. (2007). Responses of single neurons in monkey amygdala to facial and vocal emotions. *J. Neurophysiol.* 97, 1379–1387. doi: 10.1152/jn.00464.2006
- Murray, M. M., Molholm, S., Michel, C. M., Heslenfeld, D. J., Ritter, W., Javitt, D. C., et al. (2005). Grabbing your ear: Rapid auditory-somatosensory multisensory interactions in low-level sensory cortices are not constrained by stimulus alignment. *Cereb. Cortex* 15, 963–974. doi: 10.1093/cercor/bhh197
- Myachykov, A., and Tomlin, R. (2008). Perceptual priming and syntactic choice in Russian sentence production. *J. Cogn. Sci.* 9, 31–48. doi: 10.17791/jcs.2008.9.1.31
- Myachykov, A., Garrod, S., and Scheepers, C. (2012). Determinants of structural choice in visually-situated sentence production. *Acta Psychol.* 141, 304–315. doi: 10.1016/j.actpsy.2012.09.006
- Pascual-Leone, A., and Hamilton, R. (2001). The metamodal organization of the brain. *Prog. Brain Res.* 134, 427–445. doi: 10.1016/S0079-6123(01)34028-1
- Pasqualotto, A., Finucane, C. M., and Newell, F. N. (2005). Visual and haptic representations of scenes are updated with observer movement. *Exp. Brain Res.* 166, 481–488. doi: 10.1007/s00221-005-2388-5
- Pasqualotto, A., and Proulx, M. J. (2012). The role of visual experience for the neural basis of spatial cognition. *Neurosci. Biobehav. Rev.* 36, 1179–1187. doi: 10.1016/j.neubiorev.2012.01.008
- Pasqualotto, A., and Proulx, M. J. (2015). Two-dimensional rubber-hand illusion: the Dorian Gray hand illusion. *Multisens. Res.* 28, 101–110. doi: 10.1163/22134808-00002473
- Pietrini, P., Furey, M. L., Ricciardi, E., Gobbin, M. I., Wu, W. H. C., Cohen, L. G., et al. (2004). Beyond sensory images: object-based representation in the human ventral pathway. *Proc. Natl. Acad. Sci. U.S.A.* 101, 5658–5663. doi: 10.1073/pnas.0400707101
- Sarno, S., Erasmus, L. P., Lipp, B., and Schlaegel, W. (2003). Multisensory integration after traumatic brain injury: a reaction time study between pairings of vision, touch and audition. *Brain Inj.* 17, 413–426. doi: 10.1080/0269905031000070161
- Sereno, M. I., and Huang, R. S. (2006). A human parietal face area contains aligned head-centered visual and tactile maps. *Nat. Neurosci.* 9, 1337–1343. doi: 10.1038/nn1777
- Spence, C. (2002). Multisensory attention and tactile information-processing. *Behav. Brain Res.* 135, 57–64. doi: 10.1016/S0166-4328(02)00155-9
- Stein, B. E., and Meredith, M. A. (1993). *The Merging of the Senses*. Boston, MA: The MIT Press.
- Woods, A. T., and Newell, F. N. (2004). Visual, haptic and cross-modal recognition of objects and scenes. *J. Physiol.* 98, 147–159. doi: 10.1016/j.jphysparis.2004.03.006
- Zangaladze, A., Epstein, C. M., Grafton, S. T., and Sathian, K. (1999). Involvement of visual cortex in tactile discrimination of orientation. *Nature* 401, 587–590. doi: 10.1038/44139

AUTHOR CONTRIBUTIONS

AP wrote the first draft of the manuscript. MD and AM provided comments, additions, and further improvements. All authors have approved the final version of the manuscript.

ACKNOWLEDGMENTS

MD was supported by a Marie Curie FP7-PEOPLE-IAPP fellowship (grant number 610986).

Conflict of Interest Statement: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2016 Pasqualotto, Dumitru and Myachykov. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.